STANDARD FIVE MATHEMATICS REVIEW BOOKLET

(Revised April 2018)

Curriculum Planning and Development Division

NOTES TO TEACHERS AND STUDENTS

- The booklet highlights some important facts and processes that students are required to know in Mathematics through their preparation for the SEA, as prior knowledge for Form One.
- The booklet can be used as a resource for revision by students as they transition from Upper Primary to Form One.
- This booklet is not designed to replace the initial teaching of concepts, procedures and problem solving if reinforcement of these skills is needed by students.
- Examples/illustrations and explanations are provided to support the understanding of the underlying concepts and demonstrate the skills and processes required for problem solving at this level.

Produced by: Patrick Ramdath, Curriculum Officer – Mathematics

Revised by: Jacqueline Pariag, Curriculum Officer – Mathematics

Contributors:

NAME	SCHOOL/INSTITUTION
Andrea Khan	VOS Government Primary
Christine Rambaran	Longdenville Presbyterian Primary
Clarine Stewart	Vance River R.C. Primary
Donald Somai	Cedros Government Primary
Hazra Baksh	Barrackpore A.S.J.A. Primary
Jacqueline Pariag	Curriculum Planning and Development Division
Lyndon Lewis	Arima Boys' R.C. Primary
Nicholas Nanan	San Fernando Boys' Government Primary
Nicole Harris-Knudsen	Curriculum Planning and Development Division
Richard Morealy	Carapichaima R.C. Primary
Vernon Birbal	South Oropouche Government Primary

Contents

1
16
29
37
41
46
58
63
65
69
70
72
75
77
79
80
86
· · · · · · · · · · · · · · · · · · ·

A. NUMBER - Whole Numbers								
Facts to Remember	Illustration/ Example							
A factor is a number that divides another number,	Factors of 14 are 1, 2, 7, 14.							
leaving no remainder.								
The number 1 is a factor of every number.	$14 \div 1 = 14$ $14 \div 2 = 7$							
Every number is a factor of itself.	$14 \div 2 = 7$ $14 \div 7 = 2$							
The largest factor of ANY number is the number itself.	$14 \div 14 = 1$							
A multiple is the product of a number and another	The first four multiples of the number 8 are							
number.								
	8, 16, 24, 32							
Every number is a multiple of itself.								
Even numbers are exactly divisible by 2.	2, 4, 6, 8, 10							
They are all multiples of 2	$2 \div 2 = 1$							
They are an induples of 2.	$4 \div 2 = 2$							
	$6 \div 2 = 3$							
	$8 \div 2 = 4$							
	$10 \div 2 = 5$							
Odd numbers ALWAYS leave a remainder of 1 when	1, 3, 5, 7, 9							
divided by 2.	$1 \div 2 - 0$ Remainder 1							
	1 - 2 = 0 Remainder I							
	$3 \div 2 = 1$ Remainder 1							
	5 - 2 = 2 Remainder 1							
	$7 \div 2 = 3$ Remainder 1							
	$9 \div 2 = 4$ Remainder 1							
A prime number is any number that has only two	Prime numbers are highlighted on the chart below.							
factors: itself and 1.	All other numbers beside the number 1 are							
2 is the only EVEN prime number	composite.							
Numbers that are not prime numbers are called	1 2 3 4 5 6 7 8 9 10							
composite numbers.	11 12 13 14 15 16 17 18 19 20							
1 is a unique number. It is not that mime nor	21 22 23 24 25 26 27 28 29 30							
composite	31 32 33 34 35 36 37 38 39 40							
composite.	41 42 43 44 45 46 47 48 49 50							
	51 52 53 54 55 56 57 58 59 60							
	61 62 63 64 65 66 67 68 69 70							
	71 72 73 74 75 76 77 78 79 80							
	81 82 83 84 85 86 87 88 89 90							
	91 92 93 94 95 96 97 98 99 100							

Facts to Remember	Illı	stration/ Exam	ole	
A number can be represented in numerals, words and				
expanded form.	1.	Hundreds	Tens	Units or Ones
e.g.		2	1	5
Numeral:				00000
45 678				
Words:				
forty-five thousand, six hundred and seventy-eight				
Expanded Form: (4×10 000) + (5×1 000) + (6×100) + (7×10) + (8×1)	2.	Numeral:	215	
	3.	Word name:	Two hundre	ed and fifteen
	4.	Expanded form	: $(2 \times 100) +$	$(1 \times 10) + (5 \times 1)$

Facts to Remember	Illustration/ Exar	nple		
Place value is the position of the digit in the numeral.	Example:			
It is represented by columns on the place value chart.	1 245			
The value is the worth of the digit.	Thousands	Hundreds	Tens	Units or
e.g. The numeral 7 <u>8</u> 9	1	2	4	Ones 5
The place value of the digit 8 is tens. The value of the digit 8 is eighty (80).				0 0
CHANGE TO				
Place value is the value of a digit in a number based				
on its position in the number.			88	
In the numeral 789:				
The place value of the digit 8 is tens.			88	
The value of the digit 8 is 80.	place value of 5 i place value of 4 i place value of 2 i place value of 1 i	s ones : s tens : s hundreds : s thousands :	value value value value	of 5 is 5 of 4 is 40 of 2 is 200 of 1 is 1000
Ascending Order	Example:			
To arrange numbers in ascending order, place them	Place 17, 5, 9 and	8 in ascending	order.	
from smallest (first) to largest (last).	Answer: 5, 8, 9, 17	7		
	Example:			
	Place 3, 1, 19, 12,	9. 2 and 7 in as	cending	order.
	Answer: 1 2 3 7	0 12 10	0	
	Allswei. 1, 2, 3, 7,), 12, 1)		
Descending Order	Example:			
To arrange numbers in descending order, place them	Place 17, 5, 9 and	8 in descending	g order.	
from largest (first) to smallest (last).	Answer: 17, 9, 8, 5	5		
	Example:			
	Place 3, 1, 19, 12,	9, 2 and 7 in de	escending	g order.
	Answer: 19, 12, 9	7. 3. 2. 1		-
	· · · · · · · · · · · · · · · · · · ·	., ., 2, 1		

Facts to Remember	Illustratio	o n/]	Exa	mp	le								
A basic Addition Fact is defined as the	The 100 Addition facts of single digit numbers:												
sum of two one-digit numbers.													
		+	0	1	2	3	4	5	6	/	8	9	
The sum of any number added to zero		0	0	1	2	3	4	5	6	7	8	9	
gives the same number.		1	1	2	3	4	5	6	7	8	9	10	
		2	2	3	4	5	6	7	8	9	10	11	
e.g.		3	3	4	5	6	7	8	9	10	11	12	
7 + 0 = 7		4	4	5	6	7	8	9	10	11	12	13	
		5	5	6	7	8	9	10	11	12	13	14	
		6	6	7	8	9	10	11	12	13	14	15	
		7	7	8	9	10	11	12	13	14	15	16	
		8	8	9	10	11	12	13	14	15	16	17	
		9	9	10	11	12	13	14	15	16	17	18	
	Example:	:											
	4 + 5 =	9											
	Example:												
	8 + 7 = 15												
Addition on the number line	Example:												
When adding on a number line, move to t right.	3 + 4												
	Begin at 3	8, the	en n	nove	e 4 s	step	s to	the	rigł	nt.			
				-	$\overline{}$	x	,	1					
	5+4=/												
	L I 0 1	1	1 2 (3		t t	Ę	2	~		8		10
	Answer: 7	7											

Facts to Remember	Illustration/ Example					
Addition with regrouping	Example:					
	Add 4529 + 733					
	Place all digits in the correct columns.		TH 4	H 5 7	T 2 2	0 9 2
	-	+		1	3	3
	Add the digits in the ones column: $9 + 3 = 12$. The number 12 represents 1 group of ten and 2 ones.	+	TH 4	H 5 7	1 T 2 3	0 9 3
	space for the ones column and the				1	2
	digit 1 above the tens column.				1	Ŧ
	Add the digits in the tens column: 1 + 2 + 3 = 6. Place the digit 6 in the answer space for the tens column	+	TH 4	H 5 7	1 T 2 3	0 9 3
	space for the tens column.			,	6	$\frac{3}{2}$
	Add the digits in the hundreds column: $5 + 7 = 12$. The number 12 represents 1200		1 TH 4	H 5	1 T 2	09
	one thousand and two hundreds.	+	•	7	3	3
	Place the digit 2 in the answer			2	6	2
	space for the hundreds column. Place the 1 from the number 12 above the thousands column.		1	2		
	Add the digits in the thousands		1		1	
	column: $1 + 4 = 5$.		TH	H	Т	0
	Place the digit 5 in the answer		4	5	2	9
	space for the thousands column.	+	5	7	3	$\frac{3}{2}$
			3	2	0	<u> </u>
Commutative Property for Addition	Example:					
This property states that the result for addition will be the same when the order	2 + 3 + 5 = 10					
of the numbers changes.	3+5+2 = 10 same result					
	5 + 3 + 2 = 10					

Facts to Remember	Illustration/ Example
Subtraction on the number line	Example:
When subtracting on a number line, move to the left or move backward.	6 - 4 = 2
	Begin at 6, then move 4 steps backward (to the left).
	14
	-4
	0 1 2 3 4 5 6 7
	Answer: 2

Facts to Remember	Illustration/ Example					
Subtraction with regrouping	Example:					
	Subtract 4792 from 6538					
	Place all digits in the correct columns		TH 6 4	H 5 7	T 3 9	O 8 2
In the ones column, subtract 2 from 8: $8 - 2 = 6$. Place the digit 6 in the answer space for the ones column.			TH 6 4	H 5 7	T 3 9	0 8 2 6
	In the tens column, 3 is less than 9. To subtract, you need to take 1 hundred and regroup to 10 tens. 1 hundred is the same as 10 tens		TH 6 4	H 5 4 7	T ¹ 3 9 4	O 8 2 6
	 10 tens added to 3 tens equal 13 tens. 13 tens subtract 9 tens equal 4 tens. Place the digit 4 in the answer space for the tens column. In the hundreds column, 4 is less than 7. To subtract, you need to take 1 thousand and regroup to 10 hundreds. 10 hundreds added to 4 hundreds equal 14 hundreds. 14 hundreds. Place the digit 7 in the answer space for the hundreds column. 					
			TH 6 ⁵ 4 1	H 5 ¹⁴ 7 7	T ¹ 3 9 4	O 8 2 6
	In the thousands column, subtract 4 from 5: $5 - 4 = 1$. Place the digit 1 in the answer space for the thousands column.	_	TH 6 ⁵ 4 1	H 5 ¹⁴ 7 7	T ¹ 3 9 4	O 8 2 6

Facts to Remember	Illustration/ Example	
The product of 3 and 4 is 12.	Example:	
$3 \times 4 = 12$	Three ways of calculating $246 \times$	3
	1. Area Model:	
	$(3 \times 200) + (3 \times 40) + (3 \times 6) = 600$	0 + 120 + 18 = 738
	3 × 200	3×40 3×6
	2. Regrouping	
	246	$6 \times 3 = 18$ (<i>1 ten and 8 ones</i>). Regroup and add 1 to the tens column.
	738	4 tens \times 3 = 12 tens (<i>1 hundred and 2 tens</i>) Regroup and add 1 to the hundreds column.
	3. Repeated Addition	
	2 4 6	
	246	
	+246	
	738	

Facts to Remember	Illustration/ Example
Multiplication using Partial Products	Example:
	21×12
	2 1
	$\frac{1}{2}$ Ones multiplied by Ones
	4 0 Tens multiplied by Ones
	1 0 Ones multiplied by Tens
	200 Tens multiplied by Tens
	2 5 2
The product of any number and 1 is the	Multiplication Facts to 144
same number.	
9.0	
c.g.	
$7 \times 1 = 1 \times 7 = 7$	
	2 0 2 4 0 0 10 12 14 10 10 20 22 24 3 0 3 6 9 12 15 18 21 24 27 30 33 36
The product of any number and 0 is 0.	4 0 4 8 12 16 20 24 28 32 36 40 44 48
A (1	5 0 5 10 15 20 25 30 35 40 45 50 55 60
c.g.	6 0 6 12 18 24 30 36 42 48 54 60 66 72
$7 \times 0 = 0 \times 7 = 0$	7 0 7 14 21 28 35 42 49 56 63 70 77 84
	8 0 8 16 24 32 40 48 56 64 72 80 88 96
Pattern for multiplication by 10:	9 0 9 18 27 36 45 54 63 72 81 90 99 108
$1 \times 10 = 10$ $2 \times 10 = 20$	10 0 10 20 30 40 50 60 70 80 90 100110120
$2 \times 10 = 20$ $3 \times 10 = 30$	11 0 11 22 33 44 55 66 77 88 99 110121132
$4 \times 10 = 40$	12 0 12 24 36 48 60 72 84 96 108120132144
$5 \times 10 = 50$	
Commutative Property for	Example:
Multiplication	
	$5 \times 3 = 15$
This property states that if two or more	same result $2 \times 5 = 15$
the same no matter their order	
the same no matter then older.	Example:
	r
	$4 \times 2 \times 6 = 48$
	$6 \times 4 \times 2 = 48$ same result
	$2 \times 4 \times 6 = 48$

Facts to Remember	Illustration/ Example
Division Algorithm	Example:
	Divide 4707 by 32 We are dividing by 32. Here are some multiplication facts for 32:
	$1 \times 32 = 32$ $4 \times 32 = 128$ $7 \times 32 = 224$
	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$
	47 hundreds \div 32 = 100 sets of 32 with a remainder of 15 hundreds.150 tens \div 32 =
	4707 is the dividend 32 is the divisor 147 is the quotient 3 is the remainder
Zero divided by any number equals zero.	Example:
	$\frac{0}{5} = 0$
Any number divided by itself equals 1,	Examples:
except the number 0.	$1 \div 1 = 1$
	$2 \div 2 = 1$
	$5 \div 5 = 1$
	$10 \div 10 = 1$

Facts to Remember	Illustration/ Example
In multi-step word problems, one or more	Example:
steps must be solved in order to get the information needed to solve the final question.	Jason played three games at the mall. He won 33 tickets from Basketball Hoops and 18 tickets from Air Hockey. He won three times the number of tickets from Car Racing as he did from Air Hockey.
	How many tickets did Jason win altogether?
	Solution 1:
	No. of tickets won from Basketball Hoops = 33 No. of tickets won from Air Hockey = 18
	Step 1: No. of tickets won from Car Racing = $18 \times 3 = 54$
	Step 2: Total number of tickets won = Tickets from Basketball Hoops and Air Hockey and Car Racing = 33 + 18 + 54 = 105
	Solution 2:
	Step 1: No. of tickets won in Air Hockey & Car Racing = $18 \times 4 = 72$
	Step 2: Total number of tickets won = Air Hockey and Car Racing Tickets + Basketball Hoops Tickets = 72 + 33 = 105
	Answer: Jason won 105 tickets altogether.
	Example:
	Marcus had 600 marbles. He gave away 175 marbles and put the remaining marbles equally into 5 bags. Where there in each bag?
	Solution:
	Step 1: 600 – 175 = 425 He had 425 marbles left.
	Step 2: $425 \div 5 = 85$ There were 85 marbles in each bag. Answer: Each bag had 85 marbles.



Facts to Remember	Illustration/ Example
The square root of a number is that number when multiplied by itself would give the original number.	A square root of 9 is 3, because the product of 3 and itself is 9 .
v is the symbol used for the square root.	6 avera
	Square
	3 9
e.g.	R.
$2^2 = 4$, so $\sqrt{4} = 2$	Square Root
$\sqrt{4}$ is read as "the square root of 4". $\sqrt{9}$ is read as "the square root of 9".	$3^2 = 9$, so $\sqrt{9} = 3$
Square Boots	Fyamples.
Square Roots	Examples.
	$\sqrt{1}$ = 1 1^2 = 1
	$\sqrt{4}$ = 2 2^2 = 4
	$\sqrt{9}$ = 3 3^2 = 9
	$\sqrt{16}$ = 4 4^2 = 16
	$\sqrt{25}$ = 5 5^2 = 25
	$\sqrt{36}$ = 6 6^2 = 36
	$\sqrt{49} = 7 \dots 7^2 = 49$
	$\sqrt{64} = 8 \dots 8^2 = 64$
	$\sqrt{81} = 9 \dots 9^2 = 81$
	$\sqrt{100} = 10 \dots 10^2 = 100$
	$\sqrt{121} = 11$ $11^2 = 121$
	$\sqrt{144} = 12$ $12^2 = 144$
	$\sqrt{169} = 13$ $13^2 = 169$
	$\sqrt{190} = 14$ 14 = 190 $\sqrt{225} = 15$ 15 ² = 225
	V225 - 15 $15 = 225$

Facts to Remember	Illustration/ Example
The cube of a number is the product of the same	Cube Numbers
number three times.	
OR	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
The cube of a number is a multiplication in which	$3^{3} = 3 \times 3 \times 3 \times 3 \dots 3^{3} = 27$
the same number is used three times.	$4^3 = 4 \times 4 \times 4 \dots 4^3 = 64$
	$5^3 = 5 \times 5 \times 5 \dots 5^3 = 125$
e.g.	$6^3 = 6 \times 6 \times 6 \dots 6^3 = 216$
	$ \begin{array}{rcrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$
$4^{3} = 4 \times 4 \times 4 = 64$ 4^{3} is read as "the cube of 4".	
1 is the first cube number. because 1 x 1 x 1 = 1	
8 is the second cube number, because 2 x 2 x 2 = 8	
27 is the third cube number, because 3 x 3 x 3 = 27	
64 is the fourth cube number, because 4 x 4 x 4 = 64	

Facts to Remember	Illustration/ Example
A number pattern is a set of numbers that are in a	Example:
particular order based on a rule.	27, 24, 21, 18,
e.g.	Pattern rule: "subtract 3"
3, 8, 13, 18, 23, 28, 33, 38, The pattern rule is "add 5". Number patterns can be repeating, increasing or decreasing.	27, 24 = $27 - 3$, 21 = $24 - 3$, 18 = $21 - 3$, 15 = $18 - 3$
	The missing number in the pattern is 15. This is a decreasing pattern.
Examples of repeating number patterns:	Example:
111111	3, 4, 6, 9, 13, 18,
123 123 123 123	Pattern rule: Add 1 to the first number, add 2 to the second number, add 3 to the third number, ata
75 75 75 75	$ \begin{array}{l} \textbf{3,} \\ \textbf{4} &= 3 &+ 1, \\ \textbf{6} &= 4 &+ 2, \\ \textbf{9} &= 6 &+ 3, \\ \textbf{13} &= 9 &+ 4, \\ \textbf{18} &= 13 &+ 5 \end{array} $
	The missing number in the pattern is 24 .
	This is an increasing pattern.
	Example:
	64, 32, 16, 8,
	Pattern rule: Divide by 2
	The missing number in the pattern is 4 . This is a decreasing pattern

A. NUMBER - Fractions					
Facts to Remember	Illustration/ E	Example			
A fraction is a part of a whole.					
For the purpose of naming fractions, wholes are divided into equal parts.	Wholes divided into equal parts	Number of shaded parts	Number of equal parts in the whole	Fraction shaded	Name of fraction
$\frac{1}{2} \xrightarrow{\rightarrow} \text{numerator} \xrightarrow{\rightarrow} \text{how many parts} \\ \xrightarrow{\rightarrow} \text{denominator} \xrightarrow{\rightarrow} \text{names the part}$	\bigcirc	1	4	1 4	One quarter one - fourth
Here are some of the most common		3	8	3	Three - eighth
fractions, and how to call them:	\bigtriangledown	1	3	1 3	One - third
$\frac{1}{2}$ is one-half $\frac{1}{2}$ is one-third	$\overline{\bigcirc}$	2	4	$\frac{2}{4}$ or $\frac{1}{2}$	One- half
$\frac{1}{4}$ is one-quarter		2	3	23	Two – third
$\frac{1}{5}$ is one-fifth and so on	$\overline{\bigcirc}$	3	4	3 4	Three – quarters or Three- fourth
$\frac{1}{7}$ is read as three-sevenths A unit fraction is a fraction where the		7	8	7 8	Seven – eighth
E.g. $\frac{1}{2}$, $\frac{1}{3}$, $\frac{1}{4}$, $\frac{1}{5}$, $\frac{1}{10}$ and so on.		4	4	4 4 = 1	Whole Or Four-fourth
	\square	0	4	$\frac{0}{4} = 0$	Zero Or Zero – fourth
				8	



Facts to Remember	Illustration/ Example
We can compare two fractions to discover which	Example:
is larger or smaller.	Which is bigger: $\frac{3}{8}$ or $\frac{5}{12}$?
There are two main ways to compare fractions:	Solution:
1) Using the same denominator .	Make the denominators the same using equivalent fractions
Compare $\frac{3}{4} & \frac{2}{3}$ $\frac{3 \times 3}{2} = \frac{9}{2} & \frac{2 \times 4}{2} = \frac{8}{3}$	$\times 3$ $\times 2$ $\times 2$ $5 = 10$
4×3 12 3×4 12 $\frac{9}{12} > \frac{8}{12}$	$\begin{array}{c} 8 & -24 \\ \times 3 \end{array} \qquad \qquad$
	$\frac{9}{24}$ is smaller than $\frac{10}{24}$, because 9 is smaller than 10. Answer: $\frac{5}{12}$ is the larger fraction.
2) Using decimal fractions	Example: $\frac{2}{5} = 0.40$ and $\frac{7}{10} = 0.70$ so $\frac{7}{10}$ is bigger.
There are three types of fractions:	Example:
1) Proper Fraction (Common Fraction) - A fraction with a numerator smaller than its denominator. The value of the fraction is always less than one or a whole.	Smaller
2) Improper Fraction - A fraction with its numerator larger than its denominator. Improper fractions always have a value greater than 1.	Larger (or equal) Smaller (or equal) Improper Fraction
 3) Mixed Number - A value expressed using both a whole number and a proper fraction e.g. 1¹/₂ 1 is the whole number and ¹/₂ is the fraction. 	2 ¹ / ₃ Mixed Number

Facts to Remember	Illustration/ Example
Addition of fractions with the same	Example:
denominator Add the numerator and keep the same denominator.	Adding sevenths Three sevenths add two sevenths equals five sevenths. $\frac{3}{7} + \frac{2}{7} = \frac{5}{7}$
Addition of a fraction to a whole number	Example:
$\frac{1}{\frac{3}{4}}$ One whole: $1 = \frac{4}{2}$	Add 1 and $\frac{2}{5}$ 1 whole = $\frac{5}{5}$ 1 + $\frac{2}{5}$ = $\frac{5}{5}$ + $\frac{2}{5}$
$1 + \frac{3}{4} = \frac{4}{4} + \frac{3}{4}$ $= \frac{7}{4} \text{ (Improper Fraction) OR}$ $= 1 \frac{3}{4} \text{ (Mixed Number)}$	$1 + \frac{1}{5} = \frac{7}{5} + \frac{1}{5}$ $= \frac{7}{5}$ (Improper Fraction) OR $= 1 \frac{2}{5}$ (Mixed Number)



Facts to Remember	Illustration/ Example
Conversion of an Improper Fraction to a Mixed	Example:
 Number To convert an improper fraction to a mixed number, follow these steps: Find the number of wholes Express the remainder as a fraction 	Convert $\frac{11}{4}$ to a mixed number. Solution: $\frac{11}{4} = \frac{4}{4} + \frac{4}{4} + \frac{3}{4} = 1 + 1 + \frac{3}{4} = 2\frac{3}{4}$ $\frac{11}{4} = 2$ wholes with a remainder of $\frac{3}{4}$
Conversion of a Mixed number to an Improper	Example:
 Fraction To convert a mixed number to an improper fraction, follow these steps: Express wholes as fractions Simplify the numerator State the result 	Convert $3\frac{2}{5}$ to an improper fraction. Solution: $3\frac{2}{5} = 3 + \frac{2}{5}$
Changing a Mixed Fraction to an Improper Fraction $5\frac{1}{4} = 5 + \frac{1}{4}$ $= \frac{4}{4} + \frac{4}{4} + \frac{4}{4} + \frac{4}{4} + \frac{4}{4} + \frac{1}{4}$ $= \frac{5 \times 4 + 1}{4}$	$= \frac{5}{5} + \frac{5}{5} + \frac{5}{5} + \frac{2}{5}$ (express wholes as fractions) $= \frac{5+5+5+2}{5} = \frac{(3\times5)+2}{5}$ $= \frac{17}{5}$ (simplify the numerator) Answer: $\frac{17}{5}$
$=\frac{21}{4}$	

Facts to Remember	Illustration/ Example
Calculate the whole given a part expressed as a unit fraction	Example:
	$\frac{1}{2}$ of a number is 20. What is the number?
Draw diagrams to show information given	5
about the fraction of a number.	20 20 20 20 20
	$\frac{1}{2}$
	5
	$\frac{1}{5}$ of a number is 20.
	The whole or $\frac{5}{5}$ of the number is 100.
	Answer: The number is 100.

Facts to Remember	Illustration/ Example
You can find the whole number given a	Example:
fraction of the number using bar modeling . e.g.	Three-eighths of the town voted in an election. If 120 of the people voted, how many people lived in the town?
3	Solution:
$\frac{1}{5}$ of a group of children were girls. If there	Step 1. Draw the whole divided into eighths:
in the group?	
? 24 girls 3 units = 24 1 unit = 24 \div 3 = 8 5 units = 5 \times 8 = 40	Step 2. Represent $\frac{3}{8}$: For $\frac{3}{8}$, bracket 3 parts, then bracket the remaining parts. $\frac{3}{8}$ voted = 120 $\frac{5}{8}$ did not vote
There were 40 children in the group.	Step 3. Divide 120 by 3 to find $\frac{1}{8}$ of the people who voted.
	$120 \div 3 = 40$, which is $\frac{1}{8}$ of the people who voted
	40 40 40 40 40 40 40 40

Facts to Remember	Illustration/ Example
	Step 4. Add all the parts to find the whole group: 40 + 40 + 40 + 40 + 40 + 40 + 40 = 320 Answer: 320 people lived in the town.
	Other examples of worded problems are:
	 Kareem said that four fifths of his age is 16 years. How old is Kareem?
	2. Charlie bought a book for \$25. He paid $\frac{5}{6}$ of the regular price. What was the regular price of the book?

Facts to Remember	Illustration/ Example
Multiplication of Fractions	Example: $\frac{1}{2} \times \frac{9}{2}$
$\frac{2}{5} \times \frac{1}{3}$ OR $\frac{2}{5}$ of $\frac{1}{3}$	Step 1 . Multiply the numerators:
$\frac{2}{5} \times \frac{1}{3} = \frac{2}{15}$ Three-steps to multiply fractions:	$\frac{1}{3} \times \frac{9}{16} = \frac{1 \times 9}{16} = \frac{9}{16}$ Step 2. Multiply the denominators: $\frac{1}{3} \times \frac{9}{16} = \frac{1 \times 9}{3 \times 16} = \frac{9}{48}$ Step 3. Simplify the fraction: $\frac{9 \div 3}{48 \div 3} = \frac{3}{16} (Divide numerator and denominator by 3)$ Example:
Step 1. Multiply the numerators	$\frac{5}{6} \times \frac{2}{3} = \frac{5}{6} \times \frac{2^{1}}{3} = \frac{5 \times 1}{3 \times 3} = \frac{5}{9}$
Step 2. Multiply the denominators	Fyomplo.
Step 3. Simplify the fraction if needed.	Example.
OR	$\frac{5}{6} \times \frac{9}{10} = \frac{5^1}{6_2} \times \frac{9^3}{10_2} = \frac{1 \times 3}{2 \times 2} = \frac{3}{4}$
Reduce the fractions and then multiply numerators and denominators.	
Make the whole number a fraction, by putting it	Example:
over 1.	$3 \times \frac{2}{3}$
Think of the whole number as being the	9
numerator and 1 as the denominator:	Solution:
Example:	Step 1: Put the whole over 1.
5	$\frac{3}{1} \times \frac{2}{9}$
5 = 1	Step 2: Multiply numerators and denominators
	$3 \times 2 = 6 = 2$
	$\frac{1}{1 \times 9} - \frac{1}{9} - \frac{1}{3}$
	Answer: $\frac{2}{3}$

Facts to Remember	Illustration/ Example
Multiplication of Mixed Numbers and Fractions	Example:
(Model) $\frac{1}{2} \times 1\frac{1}{2} = \frac{3}{4}$ OR $\frac{1}{2}$ of $1\frac{1}{2} = \frac{3}{4}$	Multiply $2\frac{1}{4}$ by $\frac{3}{5}$ Solution: $2\frac{1}{4}$
1 1	
	$\frac{3}{5}$
	$\frac{3}{5} \times 2\frac{1}{4} = \frac{27}{20}$ (Improper Fraction) OR
$1\frac{1}{2}$	$= 1\frac{7}{20}$ (Mixed Number)
$\overline{2}$ $\overline{3}$ $\overline{4}$ $\overline{4}$	
Multiplication of Mixed Numbers	Example:
To multiply mixed numbers, follow these steps:	Multiply $1\frac{1}{2}$ by $2\frac{1}{5}$
Step 1. Convert to improper fractions	Step 1. Convert both to improper fractions
Step 2. Multiply the fractions	$1\frac{1}{2} \times 2\frac{1}{5} = \frac{3}{2} \times \frac{11}{5}$
Step 3. Convert the result to mixed numbers	Step 2. Multiply the fractions (multiply the
	numerators and denominators):
	$\frac{3}{2} \times \frac{11}{5} = \frac{3 \times 11}{2 \times 5} = \frac{33}{10}$
	Step 3. Convert to a mixed number
	$\frac{33}{10} = 3\frac{3}{10}$
	Answer: $3\frac{3}{10}$

Facts to Remember	Illustration/ Example
Division of Fractions	Example:
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\frac{2}{3} \div \frac{4}{5}$ Solution:
$\frac{1}{2} \div \frac{1}{4} = 2 (\text{ two } \frac{1}{4} \text{ in one-half})$ $\frac{1}{2} \times \frac{4}{1} = \frac{4}{2} = 2$	Step 1. Turn the divisor upside down: $\frac{4}{5}$ becomes $\frac{5}{4}$ Step 2. Multiply the 1 st fraction by the 2 nd one:
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\frac{2}{3} \times \frac{5}{4}$ (multiply the numerators and the denominators)
$\frac{2}{3} \div \frac{1}{6} = 4$ (four $\frac{1}{6}$ in two-thirds)	$\frac{2}{3} \times \frac{5}{4} = \frac{2 \times 5}{3 \times 4} = \frac{10}{12}$
$\frac{2}{3} \times \frac{6}{1} = \frac{12}{3} = 4$	Step 3. Simplify the fraction:
Look at the pattern before we state the rule:	$\frac{10}{12} = \frac{5}{6}$
Step 1. Turn the divisor (2 nd fraction) upside	Answer: $\frac{5}{6}$
down, i.e. invert.	
Step 2. Multiply the 1^{st} fraction by the 2^{nd} one.	
Step 3. Simplify the answer, if needed.	

Facts to Remember	Illustration/ Example			
Word problems involving fractions	Example:			
	Martha spent $\frac{4}{9}$ of her allowance on food and shopping.			
	What fraction of her allowance did she have left?			
	Solution:			
	$1 - \frac{4}{9} = \frac{9}{9} - \frac{4}{9} = \frac{5}{9}$			
	Answer: She had $\frac{5}{9}$ of her allowance left.			
	Example:			
	Sam had 120 teddy bears in his toy store. He sold $\frac{2}{3}$ of			
	them at \$12 each.			
	How much money did he receive?			
	Solution:			
	Step 1. Calculate the number of teddy bears sold.			
	$\frac{2}{3} \times \frac{120}{1} = \frac{2}{3_1} \times \frac{120^{40}}{1} = \frac{80}{1}$			
	He sold 80 teddy bears.			
	Step 2. Calculate how much money he received.			
	$80 \times 12 = 960$			
	He received \$960.			
	Answer: Sam received \$960			

Facts to Remember	Illustration/ Example
A factor tree breaks down a number into prime numbers.Prime factorisation is expressing a number as a product of its prime factors.	Example: Make a factor tree for the number 60 Step 1. Begin by writing down the number 60.
Note that the product of the prime factorization is the original number.	Step 2. Below it write down any factor pair whose product is 60. For example, write down 6 and 10 on the branches because $6 \times 10 = 60$.
	Step 3. 60 6 10
	Step 4. Next repeat the process with the new branches. Since $2 \times 3 = 6$ and $5 \times 2 = 10$. Write the factors underneath their respective branches.
	Circle the prime numbers. $ \begin{array}{c} 60\\ 6\\ 10\\ 2\\ 3\\ 5\\ 2\end{array} $
	Prime Factorization: $2 \times 2 \times 3 \times 5 = 60$

A. NUMBER - Decimals			
Facts to Remember	Illustration/ Example		
A decimal number is one which has whole	As you move to the right in the place value chart, each		
number values and numbers with a fractional	number place is divided by 10.		
value (less than 1).			
The whole number is separated from the	Example:		
fractional number by a decimal point .	$1000 \div 10 = 100$		
	$100 \div 10 = 10$		
the tenths place value.	$10 \div 10 = 1$		
	This is also true for digits to the right of the decimal point.		
The second digit after the decimal point is in			
the hundredths place value.	Example:		
The third digit after the decimal point is in	F		
the thousandths place value.	$1 \div 10 = \frac{1}{10}$ or 0.1 (one tenth)		
	$\frac{1}{10} \div 10 = \frac{1}{100}$ or 0.01 (one hundredth)		
	Example:		
	Ones Decimal Point $\frac{1}{10}$ (Tenths)		
	Tens \downarrow $\frac{1}{100}$ (Hundredths)		
	$17 \cdot 594$		
	<10 times greater		
	<u>10 times smaller</u>		
	In the number shown above:		
	There are 5 tenths, having a value of 0.5 or $\frac{5}{10}$		
	There are 9 hundredths, having a value of 0.09 or $\frac{9}{100}$		
In consumer arithmetic, the decimal point is	Examples:		
also used to separate dollars from cents in			
money.	\$1.50 represents one dollar and fifty cents \$5.25 represents five dollars and twenty-five cents		
	\$175.00 represents one hundred and seventy-five dollars		

A. NUMBER - Decimals			
Decimal F	ractions in Expanded Notation	Example:	
		Express 17.59 using expanded notation.	
		$17.59 = (1 \times 10) + (7 \times 1) + (5 \times \frac{1}{10}) + (9 \times \frac{1}{100})$	
		= 10 + 7 + 0.5 + 0.09	
		$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
		Answer: $17.59 = 10 + 7 + 0.5 + 0.09$	
Comparis	on of decimals	Example:	
We can us	e the methods below to compare	Put the following decimals in ascending order:	
deeminais.		1.5, 1.56, 0.8	
Step 1.	Set up a table with the decimal point in the same place for each	Solution:	
	number.	oint	
Step 2.	Put in each number.	nal F Iredti	
Step 3.	Fill in the empty squares with zeros.	H D O U C C C C C C C C C C C C C C C C C C	
Step 4.	Compare the numbers using the first column on the left .	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
Step 5.	If the digits are equal move to the next column to the right until one digit is larger.	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	
OR			
Step 1.	Line up the decimal point.		
Step 2.	Use zeros as place holders	Note:	
Step 3.	Visualize the numbers as whole	To place numbers in ascending order start with the smallest number first.	
	numbers.		
Step 4.	Compare the numbers from smallest to largest.	To place numbers in descending order start with the largest number first.	

Facts to Re	emember	Illustration/ Example					
Addition of	f decimal fractions	Example:					
To add deci	mals follow these steps:	Add 1.45 to 1.3					
Step 1.	Write the numbers, one under the other, with the decimal values one under the other .	Step 1. Line up the decimals	+	O 1 1	• •	th 4 3	hth 5
Step 2. Step 3.	Use zeros as place holders . Then add , remembering to put the decimal point in the answer	Step 2. Use zeros as place holders	+	O 1 1	•	th 4 3	hth 5 0
	decimal point in the answer.	Step 3. Add	+	O 1 1 2	•	th 4 3 7	hth 5 0 5
		Answer: 2.75					
Subtraction	n of decimal fractions	Example:					
To subtract	decimals, follow these steps:	Subtract 0.03 from 1.1					
Step 1.	Write down the numbers, one under the other, with the decimal points one under the other .	Step1. Line up the decimals	_	O 1 0	•	th 1 0	hth
Step 2. Step 3.	Use zeros as place holders . Then subtract , remembering to put the decimal point in the answer.	Step 2. Use zeros as place holders		O 1 0	•	th 1 0	hth 0 3
		Step 3. Subtract		0 1 0 1	• • •	th 1 0 0	hth 0 3 7
		Answer: 1.07					

Facts to Remember	Illustration/ Example
Multiplication of decimal fractions	Example:
If we look at the answers we see a pattern. We can use the pattern to get a rule for multiplication by decimal fractions.	Tenths multiplied by Whole Numbers 0.4×3 Convert decimal fraction to regular fractions $\frac{4}{10} \times \frac{3}{1} = \frac{12}{10}$ $\frac{12}{10} = 1.2$
$0.4 \times 3 = 1.2$	$0.4 \times 3 = 1.2$
	Example:
	Hundredths multiplied by Whole Numbers
	0.23×5
	Convert decimal fraction to regular fractions
	$\frac{23}{100} \times \frac{5}{1} = \frac{115}{100}$
	$\frac{115}{100} = 1\frac{15}{100} = 1.15$
$0.23 \times 5 = 1.15$	$0.23 \times 5 = 1.15$
Facts to Remember	Illustration/ Example
--	--
Multiplication of decimal fractions by powers of 10	Example:
\times 10 – shift the decimal point 1 place to the right	Multiplication by 10
	$0.5 \times 10 = \frac{5}{10_1} \times \frac{10^1}{1} = \frac{5}{1} = 5$
	$0.25 \times 10 = \frac{25}{100_{10}} \times \frac{10^1}{1} = \frac{25}{10} = 2.5$
\times 100 – shift the decimal point 2 places to the right	Multiplication by 100
	$0.31 \times 100 = \frac{31}{100_1} \times \frac{100^1}{1} = \frac{31}{1} = 31$
	$0.15 \times 100 = \frac{15}{100_1} \times \frac{100^1}{1} = \frac{15}{1} = 15$

Facts to Re	emember	Illustration/ Example
Division of	a decimal number by a whole number	Example:
Step 1.	Put the decimal point in the same spot	Divide 9.1 by 7.
	as the dividend (the number being	
	divided).	Put the decimal point in the quotient directly above
Step 2.	Continue division just as you would	the decimal point in the dividend.
	with whole numbers.	
		1.3
		7 9 . 1
		- <u>7</u> .
		2 . 1
		$- 2 \cdot 1$
		0
		Answer: 1.3

Facts to Remember	Illustration/ Example
Division of decimal fractions by powers of 10	Examples:
 When dividing a decimal by: ÷ 10 – shift the decimal point 1 place to the left ÷ 100 – shift the decimal point 2 places to the left 	$3.24 \div 10 = 0.324$
Word problems involving decimal numbers	Example:
	What is the total length of these three pieces of ribbon: 0.1m, 0.22m, and 0.38m? Solution:
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	Answer: The total length is 0.7m
	Example:
	A student earns \$11.75 per hour for gardening. If she worked 21 hours this month, then how much did she earn?
	Solution:
	To solve this problem, we will multiply \$11.75 by 21.
	\$ 1 1 . 7 5 2 decimal places
	$\frac{\times 21}{\$1175}$
	<u>\$ 2 3 5 0 0</u>
	<u>\$ 2 3 6 . 7 5</u> 2 decimal places
	Answer: The student earns \$236.75.

Facts to Remember	Illustration/ Example
Express common fractions as decimals (halves,	Example:
quarters, fifths and tenths)	1
To convert a fraction to a decimal fraction:	Express $\frac{1}{4}$ to a decimal fraction.
Step 1. Find an equivalent base ten fraction.	Solution 1:
Step 2. Express as a decimal fraction	$\frac{1}{4} = \frac{1 \times 25}{4 \times 25} = \frac{25}{100} = 0.25$

A. NUMBER - Approximation and Estimation			
Facts to F	Remember	Illustratio	on/ Example
Approxim an estimat rough che estimates calculation	nation produces a useful result to get ion of the answer. This is called a ck or guess estimate. Rough can prevent wrong answers for ns.	The lengtl	n of a new pencil can be estimated at about 8cm.
Approxim	ating means rounding .		
You can r	ound up or round down.		
The symb equal to"	ol $\underline{\Omega}$, means "is approximately		
Rounding	y Numbers	Example	
To normal	a number use the fellowing stars.	Round 86	to the nearest 10.
To round a number use the following steps:	a number use the following steps:	Solution:	
Step 1.	Identify the digit of the value to which you are approximating.	Step 1.	8 is the digit in the place value column to which you are rounding.
Step 2.	Look at the digit to the immediate right,If it is 5 or more (5, 6, 7, 8, 9)	Step 2.	6 is more than 5 so round up by adding 1 to the 8 which is the tens digit, so the tens digit is now 9.
	on the left.	Step 3.	Replace the ones digit which is 6 with a zero.
	• If is less than 5 (4, 3, 2, 1, 0) round down.	Answer: 8	6 - 90, to the nearest 10.
Step 3.	Replace the digits to the right of the	Example:	
	rounded value with zeros.	Round 14	3 to the nearest 100.
		Solution:	
		Step 1.	1 is the digit in the place value column to
		~~r	which you are rounding.
		Step 2.	4 is less than 5 so round down.
		Step 3.	Replace both the tens digit and the ones digit on the right of the 1 with a zeros.
		Answer: 1	43 <u>♀</u> 100, to the nearest 100.

Facts to Remember	Illustration/ Example
	Examples:
	84 <u>유</u> 90, to the nearest 10
	$45 \stackrel{\Omega}{=} 50$, to the nearest 10
	$32 \stackrel{\circ}{=} 30$, to the nearest 10
	459 ♀ 500, to the nearest 100
	398 <u>♀</u> 400, to the nearest 100
	201 <u> <u></u> <u></u> 200, to the nearest 100</u>
	$145 \stackrel{\Omega}{=} 150$ to the nearest 10
	145 으 100 to the nearest 100
	$365 \stackrel{\circ}{=} 370$ to the nearest 10
	$365 \stackrel{\Omega}{=} 400$ to the nearest 100
	$726 \stackrel{\Omega}{=} 730$ to the nearest 10
	726 오 700 to the nearest 100

Illustration/ Example
Example:
What is 1.27 rounded to the nearest tenth? Solution:
Step 1. Identify the digit in the tenths column:
Answer: 1.3 to the nearest tenth.

Facts to Remember	Illustration/ Example
	Example:
	Ellen wanted to buy a DVD player for \$49.95, a DVD holder for \$19.95 and a pair of earphones for \$21.95.
	Is \$85.00 enough money for Ellen to buy all three items?
	Solution:
	The phrase enough money tells us that we need to estimate the sum of the three items. We will estimate the sum by rounding each amount to the nearest dollar. We must then compare our estimated sum with \$85.00 to see if Ellen has enough money to buy these items.
	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$
	The estimated cost is \$92.
	Answer: \$85.00 is not enough for Ellen to buy all three items.

A. NUMBER - Percent	
Facts to Remember	Illustration/ Example
Percent means "out of 100".	Example:
The symbol % means percent.	20% means "20 out of 100" or $\frac{20}{100}$
To find a percent of a given quantity:	
To find a percent of a given quantity.	Example:
Step 1. Express the percent as a fractionStep 2. Multiply the fraction by the	Find 5% of 80. Solution:
quantity	$\frac{5}{100_{51}} \times \frac{80}{1} = \frac{4}{1} = 4$
Step 3. Simplify	Answer: 4
Conversion of a Percent to a Fraction	Example:
 To convert a percent to a fraction: Step 1. Express the percent as a fraction Step 2. Simplify the fraction (reduce it to its lowest terms) 	Convert 12% to a fraction. Solution: $12\% = \frac{12}{100} = \frac{12 \div 4}{100 \div 4} = \frac{3}{25}$ Answer: $\frac{3}{25}$

A. NUMBER - Percent	
Facts to Remember	Illustration/ Example
The whole is 100%.	Example:
e.g.	If the whole is 20 then 5 out of 20 is the equivalent of 25%.
25 students in a class 100% of students in the class = 25	$\frac{5}{20} \times \frac{100}{1} = \frac{5^1}{20_4} \times \frac{100}{1} = \frac{100}{4} = 25\%$
e.g.	Example:
Joy's allowance is \$150.00 100% of Joy's allowance = \$150.00	If the whole is 10 then 2 out of 10 is the equivalent of 20%.
e.g.	$\frac{2}{10} \times \frac{100}{1} = \frac{2^1}{10_5} \times \frac{100}{1} = \frac{100}{5} = 20\%$
Farmer Joe picks 780 oranges 100% of Farmer Joe's oranges = 780	

Facts to Remember	Illustration/ Example
Conversion of a Decimal to a Percent	Example:
To convert a decimal fraction to a percent:	Express 0.1 as a percent.
Step 1. Express the decimal fraction as a fraction.	Solution:
Step 2. Multiply by 100.	$0.1 \times 100 = \frac{1}{10} \times \frac{100}{1} = \frac{100}{10} = 10\%$
Panamhar	OR
Shortcut for multiplying by 100 is shifting the	$0.1 \times 100 = 10\%$
decimal point two places to the right.	Answer: 10%
	Example:
	Express 0.85 as a percent.
	Solution:
	$0.85 \times 100 = \frac{85}{100} = 85\%$
Relate Percent to a Decimal	Example:
To convert a percent to a decimal:	$10\% = \frac{10}{100} = \frac{1}{10} = 0.1$
Step 1. Express the percent as a fraction.	
Step 2. Simplify the fraction (reduce it to its lowest terms).	Example:
Step 3. Divide the numerator by the denominator.	$65\% = \frac{65}{100} = 0.65$

Facts to Remember	Illustration/ Example
Relate Fraction to a Percent	Example:
To convert from a fraction to a percent:	Express $\frac{3}{5}$ as a percentage.
Step 1. Express as an equivalent fraction (out of one hundred)Step 2. Include % symbol.	Solution: $\frac{3}{5} = \frac{3 \times 20}{5 \times 20} = \frac{60}{100} = 60\%$
OP	OR
 Step 1. Convert the fraction to a decimal by dividing the numerator by the denominator Step 2. Then convert the decimal to a percentage by multiplying by 100%. Include % symbol. 	Convert the fraction to a decimal: $\frac{3}{5} = 0.60$ Multiply the decimal by 100: $0.6 \times 100 = 60\%$
Expression of a quantity as a percent of another	Example:
 To express one quantity as a percent of another, Make sure that both quantities are expressed in the same units. Write the given quantity as a fraction of the total Multiply the fraction by 100. 	Peter scored 45 marks out of 60 in a test. Express Peter's score as a percent. Percent of mark $=$ $\frac{45}{60} \times 100 = \frac{45^3}{60_4} \times \frac{100}{1} = \frac{3}{4} \times \frac{100}{1} = 75\%$ Answer: 75%.
• Simplify.	

Facts to Remember	Illustration/ Example
Word problems involving percent	Example:
	If 5% of China plays tennis, how many people would you expect to play tennis out of a group of 320 Chinese?
	Solution:
	Number of tennis players = 5% of 320
	= 5% x 320
	$=\frac{5}{100} \times 320$
	= 16
	Answer: 16 people

B. MEASUREMENT - Money	
Facts to Remember	Illustration/ Example
Trinidad and Tobago Currency	Example:
(not drawn to scale)	Insert the missing values on the bills and coins required to
Dollar Bills	make \$20.35 .
	Answer:
	Bills: \$5, \$5 and Coins: 5¢, 25¢
	Insert the missing values on the bills and coins required to
Coins	make \$35.71 .
	Answer:
	Bills: \$20, \$10 and Coins: 1¢, 50¢

Facts to Remember	Illustration/ Example
If an article is sold for more than it cost, then it is	Example:
said to have been sold at a profit	A store owner bought a shirt for \$10.00 and sold it for
Profit = Selling Price – Cost Price	\$13.00.
	a) Calculate the profit made on the sale of the
	shirt.
If an article is sold for less than it cost, then it is	Solution:
said to have been sold at a loss.	a) Profit = Selling price – Cost price
	= \$13.00 - \$10.00 = \$3.00
Loss = Cost Price – Selling Price	
	Answer: The profit is \$3.00
	Fyample
	Example.
	A vase that cost \$60.00 was sold for \$50.00.
	Find the loss
	Solution:
	Loss = Cost price – Selling price
	= \$60.00 - \$50.00 $=$ \$10.00
	Example:
	A car was bought for \$60 000.00 and then sold for
	\$75 000.00.
	What is the profit?
	Solution:
	From – Sennig Price – Cost Price
	= \$75 000 - \$60 00
	- \$15,000
	ψ15.000

Facts to Remember	Illustration/ Example
Value Added Tax or V.A.T. is applied to both	Example:
goods and services in Trinidad and Tobago and is included in the final price of the product.	Mr. Ram's bill at a restaurant is \$240.00. V.A.T. of 12.5% is added.
V.A.T. is charged at a rate of 12.5%	How much money must Mr. Ram pay?
 12.5% = ¹/₂ of 25% (find 25% and then find half of the amount) OR 12.5% c= 10% and 2.5% (¹/₄ of 10%) 	Solution: $25\% \text{ of } 240 = \frac{25}{100} \times \frac{\$240}{1} = \$60$ $12.5\% = \frac{1}{2} \text{ of } 25\%$ $\frac{1}{2} \text{ of } \$60 = \$30$ V.A.T. = \\$30 Total to be paid = Amount + V.A.T. = \$240.00 + 30.00 $= 270.00 Answer: Mr. Ram must pay \$270.00 in total.

Facts to Remember	Illustration/ Example
	Example:
	The marked price of a dress is \$400.00. Anna paid \$300.00 for the dress.
	How much discount did she receive?
	Solution:
	Discount = Marked Price – Selling Price = \$400.00 - \$300.00 = \$100.00
	Answer: Anna received a \$100.00 discount.
	Example:
	The marked price of a lamp is \$300.00.
	 a) If a 20% discount is given, calculate the sale price. b) If the V.A.T. is charged at 12.5%, calculate the amount of V.A.T. paid on the discounted price. c) Calculate the cost of the lamp.
	Solution:
	a) 20% of \$300.00 = $\frac{20}{100} \times \frac{300}{1} = 60.00
	Sale price = Marked Price – Discount
	= \$300.00 - \$60.00 $=$ \$240.00
	Answer: The sale price is \$240.00
	b) Hint: To calculate V.A.T. use $12.5\% = \frac{1}{2}$ of 25%
	Price after discount is \$240.00
	V.A.T. = 12.5% of \$240.00
	$=\frac{1}{2}$ X \$60 (25% of \$240)
	= \$30
	Answer: V.A.T. worth \$30.00 was paid on the

Facts to Remember	Illustration/ Example
	discounted price.
	c) V.A.T. inclusive price = $240.00 + V.A.T$.
	= \$240.00 + \$30.00
	= \$270.00
	Answer: The total cost of the lamp is \$270.00.

Facts to Remember	Illustration/ Example
Important Terms related to Wages:	Example:
	Mr. Khan works for 5 days a week from 8:00 a.m. to
Fortnightly means 2 weeks or 14 days	3:00 p.m. He is paid a rate of \$80.00 per hour.
	a) Calculate his daily wage.
A wage is the money received for work that is	b) Calculate his weekly wage.
done daily, weekly or fortnightly.	
	Solution:
A salary is money received for work done	
monthly or yearly.	a) No. of hours worked = 7 hours
	Hourly rate $=$ \$80.00
Rate of pay is the amount being paid for the time	Daily Wage = $\$80.00 \times 7$
spent at work.	= \$560.00
	Answer: His daily wage is \$560.00
An hourly rate is the amount of money paid for	
an hour spent at work.	b) No. of days worked per week $= 5$ days
	Daily wage $=$ \$560.00
A daily rate is the amount of money paid for a	Weekly Wage $-$ \$560.00× 5
day spent at work.	$= 300.00×3
	= \$200.00
Overtime means extra hours worked at a given	Answer: His weekly wage is \$2 800.00
rate.	Fromula
	Example:
	Fred earns \$20.00 per hour for a regular 8 hour day.
	He worked for 12 hours on Monday.
	Calculate his total wage for Monday if he is paid at a
	rate of \$30.00 per hour for the extra hours of work.
	Solution:
	No. of regular hours $= 8hrs$
	Hourly rate = $$20.00$ Pow for regular hours = $$20.00 \times 8 - 160.00
	$\begin{array}{r} \text{Fay for regular nours} & = 520.00 \times 8 = 5100.00 \\ \text{Overtime hours} & = 12 \text{ hrs} = 8 \text{ hrs} = 4 \text{ hrs} \\ \end{array}$
	Pay for overtime hours $=$ \$30.00 \times 4 = \$120.00
	Total wage for Monday = $$160.00 + 120.00
	= \$280.00
	Answer: His total wage for Monday is \$280.00

Calculation of Simple InterestExample:Money deposited in a bank will earn interest at the end of the year.Calculate the simple interest on \$460.00, at 5% per annum for 3 years.Principal (P): Money deposited or borrowed.Calculate the simple interest on \$460.00, at 5% per annum for 3 years.Time (T): Period for which money is borrowed or invested. It is calculated using years.Simple interest $= \frac{P \times R \times T}{100}$ Rate (R): This is the amount you pay for borrowing. It is stated as a percentage.Simple Interest (SI): Simple Interest (SI): The money earned or the money paid on a loan. If interest is always calculated on the original principal, it is called simple interest. To calculate Simple Interest use the formula:Simple interest per year. (a) Calculate the Amount he will need to pay the bank.ORSI = $P \times R \times T$ When Rate is expressed as a percentage the formula is often seen as: $SI = \frac{P \times R \times T}{100}$ (a) $P = $1 800.00 \ R = 10\% \ T = \frac{30}{12} = 2.5 \ years$ (b) Amount = $Principal + Simple Interest$ $SI = \frac{P \times R \times T}{100} = \frac{$1 800.00 \times 10 \times 2.5}{100} = 450.00 Amount: The total of the Principal and the Simple Interest To calculate the Amount use the formula: Amount = Principal + Simple Interest(b) Amount = Principal + Simple Interest $= $1 800.00 + 450.00 $= $2 250.00$ Amount = Principal + Simple Interest $= $1 800.00 + 450.00 $= $2 250.00$	Facts to Remember	Illustration/ Example
Money deposited in a bank will earn interest at the end of the year. Principal (P): Money deposited or borrowed. Time (T): Period for which money is borrowed or invested. It is calculated using years. Rate (R): This is the amount you pay for borrowing. It is stated as a percentage. Simple Interest (SI): The money earned or the money paid on a loan. If interest is always calculated on the original principal, it is called simple interest. To calculate Simple Interest. SI = Principal × Rate × Time OR SI = P × R × T When Rate is expressed as a percentage the formula is often seen as: SI = $\frac{P × R × T}{100}$ Muent = Principal + Simple Interest To calculate the Amount use the formula: Amount: The total of the Principal and the Simple Interest To calculate the Amount use the formula: Amount = Principal + Simple Interest	Calculation of Simple Interest	Example:
Principal (P): Money deposited or borrowed.Simple interest $= \frac{P \times R \times T}{100}$ Time (T): Period for which money is borrowed or invested. It is calculated using years. $= \frac{\$460.00 \times 5 \times 3}{100}$ Rate (R): This is the amount you pay for borrowing. It is stated as a percentage. $= \$69.00$ Simple Interest (SI): The money earned or the money paid on a loan. If interest is always calculated on the original principal, it is called simple interest. To calculate Simple Interest use the formula: SI = Principal × Rate × Time ORSI = P × R × T 100ORSI = P × R × T 100Solution: a) P = \$1 800.00R = 10% 100T = $\frac{30}{12} = 2.5$ years s Solution: a) P = \$1 800.00Nhen Rate is expressed as a percentage the formula is often seen as:SI = $\frac{P × R × T}{100}$ Solution: a) P = \$1 800.00R = 10% 100T = $\frac{30}{12} = 2.5$ yearsMonent: The total of the Principal and the Simple Interest To calculate the Amount use the formula: Amount = Principal + Simple Interest $= \$1 800.00 + \450.00 $= \$2 250.00$ Answer: He will need to repay \$2 250.00 to the bank.	Money deposited in a bank will earn interest at the end of the year.	Calculate the simple interest on \$460.00, at 5% per annum for 3 years.
Time (T): Period for which money is borrowed or invested. It is calculated using years.= $\frac{5460.00 \times 5 \times 3}{100}$ Rate (R): This is the amount you pay for borrowing. It is stated as a percentage.= $\frac{569.00}{100}$ Simple Interest (SI): The money earned or the money paid on a loan. If interest is always calculated on the original principal, it is called simple interest. To calculate Simple Interest use the formula: SI = Principal × Rate × Time OR SI = P × R × T When Rate is expressed as a percentage the formula is often seen as: SI = $\frac{P \times R \times T}{100}$ Example: Solution: a) $P = $1800.00 \times I = \frac{30}{12} = 2.5$ years SI = $\frac{P \times R \times T}{100} = \frac{$1800.00 \times 10 \times 2.5}{100} = 450.00 Answer: The bank will charge \$450.00 in interest. b) Amount = Principal + Simple Interest $= $1800.00 + 450.00 $= 2250.00 Amount = Principal + Simple Interest bank.Solution interest $= $1800.00 + 450.00 $= 2250.00	Principal (P): Money deposited or borrowed.	Simple interest = $\frac{P \times R \times T}{100}$
Rate (R): This is the amount you pay for borrowing. It is stated as a percentage.Example:This is the amount you pay for borrowing. It is stated as a percentage.Simon wanted to borrow \$1 800.00 to buy new tyres 	Time (T): Period for which money is borrowed or invested. It is calculated using years.	$= \frac{\$460.00 \times 5 \times 3}{100}$ = \\$69.00
This is the amount you pay for borrowing. It is stated as a percentage.Simon wanted to borrow \$1 800.00 to buy new tyres for his car. He was told he could take a loan for 30 months at 10% simple interest per year.Simple Interest (SI): The money earned or the money paid on a loan.Simon wanted to borrow \$1 800.00 to buy new tyres for his car. He was told he could take a loan for 30 months at 10% simple interest per year.If interest is always calculated on the original principal, it is called simple interest.Simon wanted to borrow \$1 800.00 to buy new tyres for his car. He was told he could take a loan for 30 months at 10% simple interest the bank will 	Rate (R):	Example:
Simple Interest (SI): The money earned or the money paid on a loan.months at 10% simple interest per year.If interest is always calculated on the original principal, it is called simple interest.months at 10% simple interest per year.To calculate Simple Interest use the formula: SI = Principal × Rate × Time OR OR SI = P × R × Ta) Calculate the Amount he will need to pay the bank.When Rate is expressed as a percentage the formula is often seen as:b) Calculate the Amount $T = \frac{30}{12} = 2.5$ yearsSI = $\frac{P × R × T}{100}$ a) $P = \$1 800.00$ $R = 10\%$ $T = \frac{30}{12} = 2.5$ yearsSI = $\frac{P × R × T}{100}$ a) Answer: The bank will charge \$450.00 in interest.Amount: To calculate the Amount use the formula: Amount = Principal + Simple InterestAnswer: He will need to repay \$2 250.00 to the bank.	This is the amount you pay for borrowing. It is stated as a percentage.	Simon wanted to borrow \$1 800.00 to buy new tyres for his car. He was told he could take a loan for 30
The money earned or the money paid on a loan. If interest is always calculated on the original principal, it is called simple interest. To calculate Simple Interest use the formula: $SI = Principal \times Rate \times Time$ $OR SI = P \times R \times T$ When Rate is expressed as a percentage the formula is often seen as: $SI = \frac{P \times R \times T}{100}$ $SI = \frac{P \times R \times T}{100} = \frac{\$1\ 800.00 \times 10 \times 2.5}{100} = \450.00 Answer: The bank will charge \$450.00 in interest. b) Amount = Principal + Simple Interest To calculate the Amount use the formula: Amount = Principal + Simple Interest He will need to repay \$2\ 250.00 to the bank.	Simple Interest (SI):	months at 10% simple interest per year.
SI = Principal × Rate × TimeSolution:ORSI = P × R × TWhen Rate is expressed as a percentage the formula is often seen as:a) P = \$1 800.00 R = 10% T = $\frac{30}{12}$ = 2.5 yearsSI = $\frac{P × R × T}{100}$ a) P = \$1 800.00 × 10 × 2.5 100= \$450.00SI = $\frac{P × R × T}{100}$ answer: The bank will charge \$450.00 in interest.Amount: The total of the Principal and the Simple Interestb) Amount = Principal + Simple InterestTo calculate the Amount use the formula: Amount = Principal + Simple Interest= \$1 800.00 + \$450.00 = \$2 250.00Answer: He will need to repay \$2 250.00 to the bank.	The money earned or the money paid on a loan. If interest is always calculated on the original principal, it is called simple interest. To calculate Simple Interest use the formula:	a) Calculate how much interest the bank will charge.b) Calculate the Amount he will need to pay the bank.
$SI = I \operatorname{Interpar} \times \operatorname{Kate} \times \operatorname{Inter}$ $OR \qquad SI = P \times R \times T$ When Rate is expressed as a percentage the formula is often seen as: $SI = \frac{P \times R \times T}{100}$ a) P = \$1 800.00 R = 10% T = \frac{30}{12} = 2.5 \text{ years} $SI = \frac{P \times R \times T}{100} = \frac{\$1800.00 \times 10 \times 2.5}{100} = \450.00 Answer: The bank will charge \$450.00 in interest. b) Amount = Principal + Simple Interest To calculate the Amount use the formula: $Amount = \operatorname{Principal} + \operatorname{Simple Interest}$ Amount = Principal + Simple Interest $Amount = \operatorname{Principal} + \operatorname{Simple Interest}$	SI – Principal × Rate × Time	Solution:
When Rate is expressed as a percentage the formula is often seen as: $SI = \frac{P \times R \times T}{100} = \frac{\$1\ 800.00 \times 10 \times 2.5}{100} = \450.00 SI = $\frac{P \times R \times T}{100}$ Answer: The bank will charge \$450.00 in interest.Amount: The total of the Principal and the Simple InterestAmount = Principal + Simple InterestTo calculate the Amount use the formula: Amount = Principal + Simple Interest= \$1\ 800.00 + \$450.00Amount = Principal + Simple InterestAnswer: He will need to repay \$2\ 250.00 to the bank.	$OR \qquad SI = P \times R \times T$	a) $P = \$1\ 800.00$ $R = 10\%$ $T = \frac{30}{12} = 2.5$ years
$SI = \frac{P \times R \times T}{100}$ Amount: The total of the Principal and the Simple Interest To calculate the Amount use the formula: Amount = Principal + Simple Interest Amount = Principal + Simple Interest	When Rate is expressed as a percentage the formula is often seen as:	SI = $\frac{\mathbf{P} \times \mathbf{R} \times \mathbf{T}}{100}$ = $\frac{\$1800.00 \times 10 \times 2.5}{100}$ = $\$450.00$
SI =100Amount: The total of the Principal and the Simple InterestTo calculate the Amount use the formula: Amount = Principal + Simple InterestAmount = Principal + Simple Interestb) Amount = Principal + Simple Interestb) Amount = Principal + Simple Interestb) Amount = Principal + Simple Interest	$\mathbf{SI} = \frac{\mathbf{P} \times \mathbf{R} \times \mathbf{T}}{\mathbf{I}}$	Answer: The bank will charge \$450.00 in interest.
Amount: The total of the Principal and the Simple Interest= \$1 800.00 + \$450.00To calculate the Amount use the formula: Amount = Principal + Simple Interest= \$2 250.00Answer:He will need to repay \$2 250.00 to the bank.	31 – 100	b) Amount = Principal + Simple Interest
To calculate the Amount use the formula:= \$2 250.00Amount = Principal + Simple InterestAnswer: He will need to repay \$2 250.00 to the bank.	Amount: The total of the Principal and the Simple Interest	= \$1 800.00 + \$450.00
Amount = Principal + Simple Interest Answer: He will need to repay \$2 250.00 to the bank.	To calculate the Amount use the formula:	= \$2 250.00
	Amount = Principal + Simple Interest	Answer: He will need to repay \$2 250.00 to the bank.

Facts to Remember	Illustration/ Example
Comparing Unit Prices can be a good way of	Example:
finding which choice is the "best buy".	Which are cheaper, 10 pencils for \$4.00 or 6 pencils for \$2.70?
	Solution:
	Find the Unit Cost:
	 \$4.00 ÷ 10 = \$0.40 per pencil \$2.70 ÷ 6 = \$0.45 per pencil
	The lower Unit Cost is the better bargain.
	Answer: 10 pencils for \$4.00 are cheaper.

B. MEASUREMENT - Linear Measure	
Facts to Remember	Illustration/ Example
The standard unit for measuring length is the	A centimetre (cm) is approximately:
metre.	• the length of a staple
	• the width of a fingernail
Other units which are used for measuring length	• the width of 5 CD's stacked on top of each other
are, millimetre	• the thickness of a notepad.
• minimetre	• the radius (nail the diameter) of a one cent coin
kilometre	A metre (iii) is approximately.
• Monette	 the height of a countertop
We can measure how long things are, or how tall.	 five steps up a staircase
or how far apart they are by using these measures.	• the depth of the shallow end of a swimming pool
	• the width of a dining table
	• the height of a 5 year old
	• shoulder to opposite wrist of an adult
	• outstretched arms of a child
	• waist high on an adult
	• One long step of an adult male. A kilometre (km) is approximately:
	2^{1} long around on other track
	• $2\frac{1}{2}$ The state of the
	• The distance walked in 12 minutes
A non-standard unit is a unit of measure	Example:
expressed in terms of an object.	What is the length of the pencil?
Non-standard and the second state of the second state of the	
Non-standard units can be objects such as a snoe,	
a toompick, a paper chp of a nand span.	
	Answer: The length of the pencil is 5 paper clips long.
Conversion Table of Metric measurements for	
Length	10 millimetres (mm) -1 centimetre (cm)
	To immedies (init) = T continiede (em)
	100 centimetres $= 1$ metre (m)
	1 000 metres = 1 Kilometre (Km)
	*10 *100 *1000 mm cm m km

Facts to Remember	Illustration/ Example
Two lengths can be compared	Example:
	How much longer is the line AB than the line CD?
	IIII IIIII IIII IIII IIII IIII IIII IIII IIII IIII IIII
	A B C D
	Solution:
	Length of $AB = 6 \text{ cm}$ Length of $CD = 2 \text{ cm}$
	6 cm - 2 cm = 4 cm
	Answer: AB is 4 cm longer than CD.
Read and record linear measures using decimal	Example:
notation.	Four points a b a and d are illustrated below on a
	ruler.
	a b c d
	աղաղաղարորողություն
	cm
	Record of Distances
	Distance Measure in Measure in Millimetres Centimetres
	a to b 15 mm 1.5 cm
	a to c 23 mm 2.3 cm
	a to d 32 mm 3.2 cm
	b to c 8 mm 0.8 cm
	b to d 1/mm 1./cm
	c to a 9 mm 0.9 cm

Facts to Remember	Illustration/ Example
Solve problems involving addition and	Example:
subtraction of measures in	In the Summer Olympic Games, athletes compete in
(a) metres and centimetres	races of the following lengths: 100 meters, 200 meters,
(b) kilometres and metres	400 meters, 800 meters, 1500 meters, 5000 meters and
	10,000 meters. If a runner were to run in all these races,
	how many kilometers would he run?
	10,000
	5,000
	1,500
	200
	+ 100
	To figure out how many kilometers he would run.
	you need to first add all of the lengths of the races
	together and <i>then</i> convert that measurement to
	kilometers.
	1000
	1000m = 1km 18 000
	$18000 \text{ m} = \frac{10000}{1000} \text{ km} = 18 \text{ km}$
	The runner would run 18 kilometers.
Subtraction of metric measures	Example:
Sometimes it is necessary to convert all values	The length of a rope is 80 m. If a piece of 35 m 40 cm
to the same unit before attempting to subtract.	length is cut, what length of the rope is left?
Align place values then subtract as required.	Solution:
	Total length of the rope $= 80$ m
	Piece cut from the rope = $35m 40cm$
	m cm
	79
	$\frac{80}{100}$ Regrouping is required: $1m = 100cm$
	-3540
	Hence the length of the rone left $= 44m$ 60c m
	Thence, the length of the rope left = $44m$ 60c m.

Facts to Remember	Illustration/ Example
Solving problems involving measures in metres	Example:
and millimetres	Coach Kelly brought 32 litres of water to the football game, and she divided the water equally aamong 8 coolers.
	How much water would each cooler contain, in millimetres?
	Solution:
	$1L = 1\ 000\ ml$
	$32L = 32 \times 1\ 000\ mL = 32\ 000\ mL$
	$\frac{32\ 000\ \text{mL}}{8} = 4\ 000\ \text{mL}$
	Answer: Each cooler contains 4 000 millilitres of water.

B. MEASUREMENT - Perimeter	
Facts to Remember	Illustration/ Example
Perimeter is the distance around a two-	
dimensional shape.	
In other words, perimeter is the distance around	
any flat or plane shape.	
A polygon is a shape enclosed by three or more straight sides.	
To find the perimeter of a polygon , calculate the sum of all the lengths of its sides.	
Square	Example:
s	4cm
s s	
	length of side = 4cm
S S	Perimeter of square
The perimeter of a square is calculated using the	= 4cm + 4cm + 4cm + 4cm
formula, $S + S + S + S$	= 16 cm
OR	Example:
$S \times 4$	
where S is the length of each side.	Find the perimeter of the square.
	5 cm
	3 611
	5 cm
	length of side = 5 cm
	Perimeter of Square
	$= 5 \mathrm{cm} \times 4$
	= 20 cm





Facts to Remember	Illustration/ Example
Solving problems involving perimeter	Example:
(finding unknown sides)	The perimeter of the triangle is 26 cm (not drawn to scale).
	What is the length of the missing side?
	S
	8cm
	15cm
	Solution:
	Total length of known sides = $15cm + 8cm = 23 cm$
	Length of missing side: $\mathbf{S} = 26 \text{cm} - 23 \text{cm} = 3 \text{cm}$
	Answer: The length of the missing side is 3cm.
	Example: The perimeter of the square is 6 cm (not drawn to scale). What is the length of each side of the square?
	S - lations
	Solution:
	Perimeter = $S + S + S + S = 4 \times S = 6$ cm $S = \frac{6}{2} = -1.5$ cm
	Answer: Length of each side of the square is 1.5cm
	Example:
	The perimeter of the rectangle is 36cm and its length is 12cm.
	Calculate the width of the rectangle.
	w w
	Solution: 12cm
	Perimeter = $W + 12cm + W + 12cm = 36cm$
	2W + 24cm = 36cm
	2W = 36cm - 24cm = 12cm
	W= $\frac{12 \text{ cm}}{2}$ = 6cm
	Answer: The width of the rectangle is 6cm.

Facts to Remember	Illustration/ Example
Solve problems involving perimeter of	Example:
polygons	F armenter
	Example:
	The hexagon has a perimeter of 36cm.
	What is the length of one side of the hexagon if all sides are
	equal?
	Solution:
	Perimeter = $S + S + S + S + S + S = 36$ cm
	6S = 36cm
	36cm
	$S = \frac{1}{6} = 6$ cm
	Answer: The length of one side of the hexagon is 6cm.

B. MEASUREMENT - Area	
Facts to Remember	Illustration/ Example
Area and its units	Example:
The area of a shape is the total number of square units that fill the shape. The unit of measure for area is the square metre : $1m \times 1m = 1m^2$	 A square metre is about: half the area of a doorway the area of a door is approximately 2 m² (approximately 2m × 1m).
The square centimetre, $1 \text{ cm} \times 1 \text{ cm} = 1 \text{ cm}^2$, is also used as a unit to measure smaller areas. 1 cm 1 cm^2 1 cm^2 (not drawn to scale)	Example: The size of a dollar bill is approximately 112cm ² (approximately 16cm × 7cm).
Square	Example:
s↓ S→	A square has a side of length 5 cm. Find the area of the square.
Area of Square = $S \times S = S^2$	
	5 cm length of side = 5cm Area of Square = 5cm × 5cm = 25 cm ² Answer: Area of Square is 25 cm ²
Rectangle	Example:
Length —	A rectangle has a length of 9 cm and a width of 4cm. Find the area of the rectangle.
L represents the length of the rectangle B represents the width of the rectangle Area of Rectangle $= L \times B$	L = 9cm and B = 4cm Area of Rectangle = 9cm × 4cm = 36 cm ² Answer: Area of rectangles is 36 cm ²

Facts to Remember	Illustration/ Example
	Example:
	The floor of a room shown below has to be covered with 12 cm square tiles. How many tiles will be needed to cover the entire area of the floor? 12m 6m
	Solution:
	Area of the floor = $L \times B = 12m \times 6m = 72 m^2$
	$1 \text{ m}^2 = 10\ 000 \text{ cm}^2$
	So $72m^2 = 72 \times 10\ 000\ cm^2 = 720\ 000cm^2$
	Area of 1 square tile = $12 \times 12 \text{ cm}^2 = 144 \text{ cm}^2$
	No. of tiles needed to cover floor $=\frac{720\ 000}{144}=5000$ tiles OR Computation can be done as follows: $\frac{1200 \times 600}{12 \times 12}=100 \times 50=5000$ tiles

B. MEASUREMENT - Volume Facts to Remember Illustration/ Example Calculate volume by counting cubes **Examples:** We can calculate the volume of objects/shapes by counting cubes. Volume of cuboid: 4 layers of 15 cubes This cuboid has 4 layers $= 4 \times 15$ cubes of 6 cubes. = 60 cubes It has a volume of 24 cubes. If these cubes are 1cm The volume of this shape can be calculated like this: cubes then the volume of layer 1: 1 cube the cuboid is 24 cm^{3} . layer 2: 2 + 1 = 3 cubes layer 3: 3 + 2 + 1 = 6 cubes layer 4: 4 + 3 + 2 + 1 = 10 cubes Volume of shape = 10 cubes + 6 cubes + 3 cubes + 1 cubes = 20 cubes Calculate the volume of the shape below: layer 1: $1 \times 4 = 4$ cubes layer 2: $2 \times 4 = 8$ cubes layer 3: $3 \times 4 = 12$ cubes layer 4: $5 \times 4 = 20$ cubes Volume of shape = 44 cubes Another method of counting: 11 rows of 4 cubes = 44 cubes Other suitable methods of counting cubes can be used.



Facts to Remember	Illustration/ Example
Capacity is the amount that something can hold.	Example:
The units of canacity are litres (L or l) and	The pack below holds $\frac{1}{4}$ litre of milk.
millilitres (mL or ml).	Mummy bought 6 of these packs.
	MILK
	What is the total volume of milk in cm ³ that Mummy got
	from the 6 packs?
	Solution:
	Volume of one $\frac{1}{4}$ litre pack = 1 000cm ³ ÷ 4 = 250cm ³
	Volume of six $\frac{1}{4}$ litre packs = 250cm ³ × 6 = 1 500cm ³
	OR
	Six $\frac{1}{4}$ litre packs = $6 \times \frac{1}{4}$ litres
	$=\frac{6}{1} \times \frac{1}{4} = \frac{6}{4} = 1.5$ litres
	Recall, 1 L = 1000 cm^3
	Therefore, $1.5 \text{ L} = 1.5 \times 1000 \text{ cm}^3 = 1500 \text{ cm}^3$
	Answer: Total volume of milk is 1500 cm ³
	Example:
	The aquarium below has length 50cm, breadth 20cm and height 30cm.
	What is the capacity of the aquarium in litres?
	50 cm 20cm

Facts to Remember	Illustration/ Example	
	Solution:	
	Step 1: Find the volume of the aquarium.	
	$= L \times B \times H$	
	$= 50 \text{cm} \times 20 \text{cm} \times 30 \text{cm} = 30\ 000\ \text{cm}^3$	
	Step 2: Convert cm ³ to litres.	
	Recall, 1 L = 1000 cm^3	
	$6\ 000\ \mathrm{cm}^3 = \frac{6\ 000}{1\ 000}\ \mathrm{L} = 6\ \mathrm{L}$	
	Answer: The capacity of the aquarium is 6 L.	
	Example:	
	A drinking glass holds 250ml of water.	
	How many glasses of water are needed to fill a mug	
	having a capacity of 2 litres?	
	Solution:	
	Recall, 1 000 mL = 1 L	
	Capacity of mug in millilitres:	
	$2 L = 2 \times 1 \ 000 \ mL = 2 \ 000 \ mL$	
	No. of glasses needed to fill the mug = $\frac{2\ 000\ \text{mL}}{250\ \text{mL}} = 8$	
	Answer: 8 glasses of water are needed to fill a mug.	
B. MEASUREMENT - Mass		
---	---	--
Facts to Remember	Illustration/ Example	
The mass of an object refers to how heavy an	Example:	
object can be because of the amount of matter it	What is the weight of the each of flour in kilograms?	
contains.	what is the weight of the sack of hour in knograms?	
The standard unit of mass in the metric system is		
the kilogram (kg).	(Fround)	
The gram (g) is the unit used for measuring very		
small objects.		
1 kilogram = 1 000 grams	800 g 200 700 300	
e.g.	500 500 400 Juli	
A dictionary has a mass of approximately one		
kilogram.	Solution:	
e.g.	$1 \text{ kg} = 1 \ 000 \text{ g}$	
A paperolin weighs about one gram	The sack of flour weighs 650 g	
A paperent weighs about one gram.	$650 \text{ g} = \frac{650}{1000} = 0.65 \text{ kg}$	
	(Recall: To divide by 1000, move the decimal point 3 places to the left)	
	Answer: The weight of the sack of flour is 0.65 kg	
	Example:	
	What is the difference in grams between the masses of the packs of sugar and flour shown below?	
	SUGAR 1.7 kg 1690 g Solution:	
	Recall $1 \text{ kg} = 1.000 \text{ g}$	
	Mass of sugar = $1.7 \text{ kg} = 1700 \text{ g}$	
	Mass of flour = 1.690 g	
	Mass of sugar – mass of flour = $1700g - 1690g$	
	= 10 g Answer: 10 g	

B. MEASUREMENT - Time	
Facts to Remember	Illustration/ Example
We can convert units of time:	Example:
60 seconds = 1 minute	Sam watched a movie that was 150 minutes long.
60 minutes = 1 hour	State the length of the movie in hours.
24 hours = 1 day	Solution
7 days = 1 week	Solution.
52 weeks = 1 year	1 hour $= 60$ minutes
Time is measured using a clock or a watch.	150 . 1.
a m refers to morning	$150 \text{ minutes} = \frac{250}{60} = 2\frac{2}{2} \text{ hours}$
a.m. refers to aftermoon avaning and night	
p.m. refers to alternoon, evening and light.	Answer: The movie was $2\frac{1}{2}$ hours long.
A clock or watch is called analog when the time is	Example:
indicated by the positions of rotating hands on the	Dia and her family arrived at the mall in the afternoon at
face, and hours marked from 1 to 12.	Kia allu her raining arrived at the main in the arternoon at the time shown on the clock below. They spent 1^{3} hours
If it has three moving hands, then we can tell the	at the mall
hours. the minutes, and the seconds.	What time did Ria and her family leave the mall?
If it has two moving hands, then we can tell the hours and the minutes but not the seconds.	Solution: Time shown on the clock is 4:15. $1\frac{3}{4}$ hours later can be calculated as follows: 1 hour later is 5:15 $\frac{3}{4}$ hour later is 5:15 + 45 minutes = 6:00 OR Computation can be done as follows: hr min 4 : 15 $\frac{1}{6} : 00$ (15mins + 45mins = 60 mins = 1 hour) Answer: Ria and her family left the mall at 6 p.m.

Facts to Remember	Illustration/ Example
A digital clock displays the time in numerals where the hours, minutes, and sometimes seconds are indicated by digits.	Example: Write the time shown on the clock in digital notation.
10:35:54	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
	Answer: 3:40
	Example:
	Write the time shown on the clock in digital notation.
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
	Answer: 8:00:06





Facts to Remember	Illustration/ Example
A straight line is the shortest distance between two points.	A B
Parallel lines are always the same distance apart and will never meet or intersect.	Example:
Perpendicular lines are at right angles (90°) to each other.	Example:
	Example:

C. GEOMETRY - Plane Shapes Facts to Remember

Types of Triangles:

A triangle is a three-sided plane shape.

A plane or flat shape has two dimensions.

Nama	Shape	Properties
Ivallie	Shape	Floperties
Scalene Triangle		No two sides are equal; No two angles are equal
Isosceles Triangle		Two equal sides; Two equal angles
Equilateral Triangle	a 60° a	Three equal sides; Three equal 60° angles
Right-angled Triangle	A b C	 A line is perpendicular to another if it meets or crosses it at right angles (90°). A right angled triangle has one 90° angle (right angle). The little square in the corner tells us it is a right-angled triangle.

Facts to Remember

Types of Quadrilaterals:

A quadrilateral is a four-sided plane shape.

A plane or flat shape has two dimensions.

Name	Shape	Properties
Square		All sides are equal; Opposite sides are equal and parallel; All angles are equal; All angles are right angles (90°)
Rectangle		Opposite sides are equal and parallel; Four equal angles; All angles are right angles (90 ⁰)
Parallelogram		Opposite sides are equal Opposite sides are parallel
Rhombus		All sides are equal; Opposite sides are parallel;
Kite		Two pairs of equal sides
Trapezium		One pair of opposite sides are parallel



Facts to Remember				
Types of Solids Name	Shape	No. of Edges	No. of Faces	No. of Vertices
Cube		12	6	8
Cuboid	· · · · · · · · · · · · · · · · · · ·	12	6	8
Cylinder		2	3	0
Sphere		0	1	0
Cone		1	2	1 Apex
Triangular Prism		9	5	6
Triangular-based Pyramid		6	4	4
Square-based Pyramid		8	5	5

C. GEOMETRY - Symmetry		
Facts to Remember	Illustration/ Example	
 A line of symmetry is any line along which a shape can be folded so that one half fits exactly onto the other half (no overlapping). The line of symmetry is also called the 	Examples:	A square has 4 lines
 The line of symmetry is also called the 'mirror line'; it can be horizontal, vertical or at any angle. Some shapes have no lines of symmetry. A circle has an infinite number of lines of symmetry. 		A rhombus has 2 lines of symmetry
		A kite has 1 line of symmetry
		A rectangle has 2 lines of symmetry
		An equilateral triangle has 3 lines of symmetry
	Non-examples_	
	\leq	The scalene triangle does not possess any lines of symmetry.
		The parallelogram does not possess any lines of symmetry.



Facts to Remember	Illustration/ Example	
Tally Chart	Example:	
	The scores awarded for a test given to a Standard 5 class of 12 students were as follows: 6, 7, 5, 7, 7, 8, 7, 6, 7, 6, 8, 7	
	a) Construct a tally chart for the scores.b) Calculate the mean.c) Find the mode.	
	Solution:	
	a)	
	Step 1: Construct a table with three columns. The first column shows what is being tallied.	
	Step 2. The 1 st score is 6, so put a tally mark against 6 in the 2 nd column. The 2 nd score is 7, so put a tally mark against 7 in the 2 nd column. The 3 rd score is 5, so put a tally mark against 5 in the 3 rd column. Continue to tally all scores. Remember, every 5th tally mark is drawn across the previous 4 tally marks.	
	Step 3: Count the number of tally marks for each score and write it in third column.	
	Answer:	
	Tally of Scores awarded to Students	
	Score Tally	
	5	
	6	
	7 JHT I	
	8	
	b) Mean = $\frac{6+7+5+7+7+8+7+6+7+6+8+7}{2}$	
	$= \frac{81}{12} = 6.75$ 12	
	Answer: The mean score is 6.75.	
	c) Answer: Mode or Modal Score is 7.	

Facts to Remember	Illustration/ Example	
A Pictograph is a way of representing data using	Example:	
pictures. Each picture represents a certain number of items.	The pictograph below represents the number of smartie in a pack:	
	Colour	Number of Smarties
	Green	
	Orange	
	Blue	
	Pink	
	Yellow	
	Red	
	Purple	
	Brown	
	Key a) How 1 b) What c) Which d) What pack? e) What was p	• = 2 smarties • = 1 smartie many red smarties were in the pack? was the modal colour? n coloured smarties were equal in number? was the total number of smarties in the fraction of the total number of smarties ink?
	Solution:	
	a)	
	If 🥚	represent s 2 smarties
	Then 🧲	represents $2 \times 4 = 8$ smartles
	Answer: 8 rec	d smarties were in the pack
	b) Yellow sm	arties occurred the most.
	Answer: Yell	ow is the modal colour

Facts to Remember	Illustration/ Example	
	c) There were 7 green smarties, 7 orange smarties and 7	
	purple smarties.	
	Answer: The green, orange and purple coloured smarties	
	were equal in number.	
	d)	
	7 Green	
	5 Plue	
	6 Plink	
	11 Yellow	
	8 Red	
	7 Purple	
	Brown	
	TOTAL <u>54</u>	
	Answer: The total number was 54 smartles	
	(e) No of pink smartles -6	
	Total no. of smartles = 54	
	No. of pink smarties 6 1	
	Total no. of smarties $=$ $\frac{1}{54}$ $=$ $\frac{1}{9}$	
	1	
	Answer: $\frac{1}{2}$ of the total number of smarties were pink	
	9	

Facts to Remember	Illustration/ Example	
A Bar Graph is a graphical display of data using	Example:	
bars of different heights or lengths.		
	The incomplete bar graph below shows the pets	
	owned by 32 students in a Standard 5 class.	
	Pets Owned	
	12	
	10	
	8 ets	
	6	
	6 4	
	Ž	
	0 Rabbit Dog Cat Goldfish Hamster	
	Pets	
	 a) How many more students own cats than rabbits? b) What percent of the class owns dogs? c) How many students own hamsters? d) Complete the graph by drawing the bar to represent the number of students who own goldfish. Solution: a) No. of students who own cats = 10 	
	No. of students who own rabbits = 4 No. who own cats – No. who own rabbits = $10 - 4$ = 6	
	Answer: 6 more students own cats than rabbits	
	b) No. of students who own dogs = 8 Total no. of students in the class = 32 Percent of the class who owns dogs $= \frac{8}{32} \times \frac{100}{1} = 25\%$	
	Answer: 25% of the class owns dogs.	



Mathematics Facts

Squares, Roots and Cubes

Square N	umbers	Square roots Cub	e Nu	imbers
$\begin{array}{rcrcrc} 0^2 &=& \\ 1^2 &=& \\ 2^2 &=& \\ 3^2 &=& \\ 4^2 &=& \\ 5^2 &=& \\ 6^2 &=& \\ 7^2 &=& \\ 8^2 &=& \\ 9^2 &=& \\ 10^2 &=& \\ 11^2 &=& \\ 12^2 &=& \\ 13^2 &=& \\ 13^2 &=& \\ 14^2 &=& \\ 15^2 &=& \\ 16^2 &=& \\ 17^2 &=& \\ 16^2 &=& \\ 17^2 &=& \\ 19^2 &=& \\ 20^2 &=& \\ 30^2 &=& \\ 40^2 &=& \\ \end{array}$	0 1 4 9 16 25 36 49 64 81 100 121 144 169 196 225 256 289 324 361 400 900 1600	$ \begin{array}{rcrr} \sqrt{1} &= 1 & 0^{3} \\ \sqrt{4} &= 2 & 1^{3} \\ \sqrt{9} &= 3 & 2^{3} \\ \sqrt{9} &= 3 & 3^{3} \\ \sqrt{16} &= 4 & 4^{3} \\ \sqrt{25} &= 5 & 5^{3} \\ \sqrt{36} &= 6 & 6^{3} \\ \sqrt{49} &= 7 & 7^{3} \\ \sqrt{64} &= 8 & 8^{3} \\ \sqrt{81} &= 9 & 9^{3} \\ \sqrt{100} &= 10 & 10^{3} \\ \sqrt{121} &= 11 \\ \sqrt{124} &= 12 \\ \sqrt{169} &= 13 \\ \sqrt{196} &= 14 \\ \sqrt{225} &= 15 \\ \end{array} $		0 1 8 27 64 125 216 343 512 729 1000
50^2 =	2500			

Fraction Wall

								1							
			1/2									$\frac{1}{2}$			
)	$\frac{1}{3}$					-	1 3						<u>1</u> 3	
	$\frac{1}{4}$					$\frac{1}{4}$ $\frac{1}{4}$				$\frac{1}{4}$					
15	5			1 5		1 5		1 5							
1 6		1 <u>6</u>		$\frac{1}{6}$ $\frac{1}{6}$			$\frac{1}{6}$			<u>1</u> 6					
$\frac{1}{7}$		$\frac{1}{7}$		$\frac{1}{7}$	$\frac{1}{7}$ $\frac{1}{7}$		$\frac{1}{7}$		2	1 7		$\frac{1}{7}$			
1 8		<u>1</u> 8		1	Ī		1 8	1		Τ	<u>1</u> 8	Τ	<u>1</u> 8		<u>1</u> 8
<u>1</u> 9	-	<u>1</u> 9		<u>1</u> 9		1 9	1		1	L D	1			<u>1</u> 9	<u>1</u> 9
$\frac{1}{10}$	$\frac{1}{10}$	ō	$\frac{1}{10}$	5	$\frac{1}{10}$		1 10	$\frac{1}{10}$	5	$\frac{1}{10}$		$\frac{1}{10}$		$\frac{1}{10}$	1 10
$\frac{1}{11}$	$\frac{1}{11}$	ī	1	1	L 1	$\frac{1}{11}$	- 1	<u>1</u>	$\frac{1}{11}$	-	$\frac{1}{11}$	$\frac{1}{12}$	ī	$\frac{1}{11}$	$\frac{1}{11}$
1 12	<u>1</u> 12	$\frac{1}{13}$	Z	$\frac{1}{12}$	ī	1 2	$\frac{1}{12}$	$\frac{1}{12}$		<u>1</u> 12	$\frac{1}{12}$		112	$\frac{1}{12}$	1 12

Equivalence

Fraction	Decimal	Percent
$\frac{1}{2}$	0.5	50%
$\frac{1}{4}$	0.25	25%
$\frac{3}{4}$	0.75	75%
$\frac{1}{5}$	0.2	20%
2 5	0.4	40%
3 5	0.6	60%
$\frac{4}{5}$	0.8	80%
$\frac{1}{10}$	0.1	10%
$\frac{3}{10}$	0.3	30%
$\frac{7}{10}$	0.7	70%
$\frac{9}{10}$	0.9	90%

Eq	luiva	lent I	Fractio	ons
$\frac{1}{2} =$	$\frac{\frac{2}{4}}{\frac{1}{4}} =$	$\frac{4}{8} =$ $\frac{2}{8} =$	$\frac{5}{10} = \frac{25}{100}$	$\frac{50}{100}$
	$\frac{1}{5} =$ $\frac{2}{5} =$ $\frac{3}{5} =$ $\frac{4}{5} =$	$\frac{2}{10} = \frac{4}{10} = \frac{6}{10} = \frac{8}{10} = \frac{8}{10} = \frac{1}{10}$	$= \frac{20}{100} \\ = \frac{40}{100} \\ = \frac{60}{100} \\ = \frac{80}{100} \\ = \frac{80}{100}$	

Problem Solving involving Money

Cost Price: Price the retailer pays for an item

Selling Price: Price at which the retailer sells an item

A profit is gained when an article is sold for *more* than what it cost

Profit = Selling Price – Cost Price

A loss is made when an article is sold for *less* than what it cost.

```
Loss = Cost Price – Selling Price
```

Profit and loss are often expressed as percentages of the cost price. They are often called **gain or profit percent** or **loss percent**.

A **Discount** is the difference between the Marked Price and the Selling Price. It is a reduction in the Marked Price.

Value Added Tax or V.A.T. is tax on goods and services. It is included in the total cost.

V.A.T. is charged at a rate of 12.5% of the value of the goods or services.

Plane Shapes and Measures

TRIANGLE

Perimeter:	Side + Side + Side
Side:	Perimeter – (Side + Side)

SQUARE

Perimeter:	Side $\times 4$
Side:	Perimeter ÷ 4
Area:	Side × Side
Side:	√Area

RECTANGLE

Perimeter:	$(L + B) \times 2$	OR	2L + 2B
Area:	$L \times B$		
Length:	$A \div B$		
Breadth:	$A \div L$		

Solids and Measures

CUBE

Volume:	$S \times S \times S$	OR	S^3
Side:	³ √Volume		
Surface Area:	$S \times S \times 6$	OR	Area of Face $\times 6$

CUBOID

Volume:	$L \times B \times H$

Metric System

Quantity	Unit of measure	Other Units of measure	Conversion of Units
Length	metre (m)	millimetre (mm) centimetre (cm) kilometre (km)	10 millimetres = 1 centimetre 100 centimetres = 1 metre 1000 metres = 1 kilometre
Mass	gram (g)	kilogram (kg)	1 kilogram = 1000 grams
Area	square metres (m ²)	square centimetres (cm ²) square kilometres (km ²)	1 square metre = 10 000 square centimetres 1 m ² = 100 cm x 100 cm = 10 000 cm ²
Volume	cubic metres (m³) (for solids and liquids)	cubic centimetre (cm ³)	1 litre = 1000 millilitres 1 millilitre = 1 cm^3
	litre (l or L) (for liquids)	millilitre (ml or mL)	$1\ 000\ ml = 1\ 000\ cm^3$
Time	hour (hr)	minute (min), second (s)	1 hour = 60 minutes 1 minute = 60 seconds

Strategy for Solving Problems

Step 1: Understand the Problem	 Read the problem carefully. Identify what information you are given (known) and what you are asked to find or show (unknown). Can you restate the problem in your own words? Draw a picture or diagram to help you understand the problem. Is this problem similar to another problem you have solved? 	
Step 2: Devise A Plan	 Can one of the problem solving strategies you know be used? Often a considerable amount of creativity is required to develop a plan. 	
	 Look for a Pattern Draw a Picture/Diagram Use Objects Solve a Simpler Problem Guess and Check Make an Organized List/Table Act It Out Work Backwards Use a Number Sentence Use Logical Reasoning 	
Step 3: Carry Out The Plan	 X Implement your chosen strategy/strategies until the problem is solved. X Check each step in your solution as you implement it. X Can you see clearly if each step is correct? X Can you prove it? X Don't be afraid to start over, modify, or change your plan. X Give yourself a reasonable length of time to solve the problem 	
Step 4: Look Back	Carefully examine the solution obtained. Is your answer reasonable? Can you check the results in the reverse order? Have you checked that all the relevant information was used? Are the appropriate units of measure stated?	

INCLUDE



Page 85, change 32 to 33 students in the Bar Graph

Pg 81 Adam mean score is 16

Pg 19 Remove () behind Radius